



MOTORCYCLE

Lavish your motorcycle with the same expert care as used by professional race teams, with Penrite's premium quality range of motorcycle engine oils and speciality products. Our motorcycle range is suitable for late model Japanese, European and US sourced bikes, Asian made pit bikes all the way through to early model and classic American, British and European bikes.

Our range carries the latest industry specifications and offers 100% PAO & Ester Full Synthetic, Semi Synthetic and Premium Mineral ranges with Full Zinc for anti wear protection. They are compatible with petrol and racing fuels such as Avgas, Methanol/Alcohol. Penrite is proud to have a comprehensive range offering quality and value.

Penrite is the official oil of the Honda Racing Team, where our products are tried, tested and proven to provide complete protection, whether used for competition, on or off road conditions in either modern or classic machines.

Penrite has been synonymous with high quality automotive engine oils for 90 years.



YARRIVE KONSKY: Honda Racing Team Manager

"I only trust Penrite quality products for maximum performance and protection under race conditions!"

Honda Racing



Visit our website at www.penriteoil.com

MC-4ST 5W-40, 10W-40, 10W-60 **NEW**, 15W-50 & VTWIN 20W-50 **NEW** (100% PAO & Ester)

MOTORCYCLE

| Product Code | Pack Size | Carton Qty | Base Oil: 100% PAO & Ester Full Synthetic | Stroke: 4 |
|--------------|-----------|------------|---|-----------|
|--------------|-----------|------------|---|-----------|

MC-4ST 5W-40

| | | |
|-------------|------------|---|
| MC45W40001 | 1 Litre | 6 |
| MC45W400025 | 2.5 Litres | 4 |
| MC45W40004 | 4 Litres | 4 |
| MC45W40020 | 20 Litres | 1 |
| MC45W40205 | 205 Litres | 1 |

Viscosity: 5W-40

Replacement Viscosities: 5W-30, 10W-30

Key Specifications: API SN/CF, JASO MA

Fuel Types: Petrol, Racing



MC-4ST 10W-40

| | | |
|--------------|------------|---|
| MC410W40001 | 1 Litre | 6 |
| MC410W400025 | 2.5 Litres | 4 |
| MC410W40004 | 4 Litres | 4 |
| MC410W40020 | 20 Litres | 1 |
| MC410W40205 | 205 Litres | 1 |

Viscosity: 10W-40

Replacement Viscosities: 10W-30

Key Specifications: API SN/CF, JASO MA

Fuel Types: Petrol, Racing



MC-4ST 10W-60

| | | |
|-------------|----------|---|
| MC410W60004 | 4 Litres | 4 |
|-------------|----------|---|

Viscosity: 10W-60

Replacement Viscosities: 10W-50, 15W-50

Key Specifications: API SN/CF, JASO MA

Fuel Types: Petrol, Racing



MC-4ST 15W-50

| | | |
|--------------|------------|---|
| MC415W50001 | 1 Litre | 6 |
| MC415W500025 | 2.5 Litres | 4 |
| MC415W50004 | 4 Litres | 4 |
| MC415W50020 | 20 Litres | 1 |
| MC415W50205 | 205 Litres | 1 |

Viscosity: 15W-50

Replacement Viscosities: 15W-40, 20W-40

Key Specifications: API SN/CF, JASO MA

Fuel Types: Petrol, Racing



MC-4ST VTWIN 20W-50

| | | |
|---------------|----------|---|
| MC4VT20W50004 | 4 Litres | 4 |
|---------------|----------|---|

Viscosity: 20W-50

Replacement Viscosities: 20W-40

Key Specifications: API SN/CF, JASO MA

Fuel Types: Petrol, Racing



Penrite MC-4ST 5W-40, 10W-40, 10W-60, 15W-50 & VTWIN 20W-50 are premium, 100% PAO & Ester, full synthetic, non-friction modified, modern four stroke engine oils. They contain a superior anti-wear package of FULL ZINC+ (exceeding 1800+ ppm levels) for ultimate engine, gearbox and clutch protection combined with the latest engine oil technology that provides protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions. Penrite MC-4ST 10W-40, 15W-50 & VTWIN 20W-50 use SHEAR FREE formulations that eliminate viscosity loss.

MC-4ST Full Synthetic 10W-40

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic | Stroke: 4 |
|--------------|-----------|------------|--------------------------|-----------|
|--------------|-----------|------------|--------------------------|-----------|

| | | |
|--------------|------------|---|
| MC4FULL10004 | 4 Litres | 4 |
| MC4FULL10020 | 20 Litres | 1 |
| MC4FULL10205 | 205 Litres | 1 |

Viscosity: 10W-40 Replacement Viscosities: 10W-30

Key Specifications: API SN/CF, JASO MA

Fuel Types: Petrol/LPG, Racing



Penrite MC-4ST Full Synthetic 10W-40 is a premium full synthetic, SAE 10W-40, non friction modified, modern four stroke engine oil. It contains a superior anti wear package of FULL ZINC for ultimate engine, gearbox and clutch protection combined with the latest engine oil technology that provides protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions.



Visit our website at www.penriteoil.com

MC-4ST Semi Synthetic 10W-30, 10W-50 & 15W-50

| Product Code | Pack Size | Carton Qty |
|--------------|-----------|------------|
|--------------|-----------|------------|

MC-4ST Semi Synthetic 10W-30

| | | |
|------------------|------------|---|
| MC4SEMI10W30001 | 1 Litre | 6 |
| MC4SEMI10W300025 | 2.5 Litres | 4 |
| MC4SEMI10W30004 | 4 Litres | 4 |

MC-4ST Semi Synthetic 10W-50

| | | |
|--------------|------------|---|
| MC410W50001 | 1 Litre | 6 |
| MC410W500025 | 2.5 Litres | 4 |
| MC410W50004 | 4 Litres | 4 |
| MC410W50020 | 20 Litres | 1 |
| MC410W50205 | 205 Litres | 1 |

MC-4ST Semi Synthetic 15W-50

| | | |
|--------------|------------|---|
| MC4SEMI15004 | 4 Litres | 4 |
| MC4SEMI15020 | 20 Litres | 1 |
| MC4SEMI15205 | 205 Litres | 1 |

Base Oil: Semi Synthetic

Stroke: 4

Viscosity: 10W-30

Key Specifications: API SL/CF, JASO MA, China National GB 11121-2006

Fuel Types: Petrol, Racing

Viscosity: 10W-50

Replacement Viscosities: 10W-40, 15W-40

Key Specifications: API CH-4/SL, JASO MA, China National GB 11121-2006

Fuel Types: Petrol, Racing

Viscosity: 15W-50

Replacement Viscosities: 15W-40, 20W-40

Key Specifications: API CI-4/SL, JASO MA, China National GB 11121-2006

Fuel Types: Petrol, Racing

Penrite MC-4ST Semi Synthetic 10W-30, 10W-50 & 15W-50 are premium semi synthetic, SAE 10W-30, 10W-50 & 15W-50 respectively, non friction modified, modern, four stroke engine oils. They contain a superior anti wear package of FULL ZINC for ultimate engine, gearbox and clutch protection.



MC-4ST Premium Mineral 15W-50, 20W-50 & HD 50

| Product Code | Pack Size | Carton Qty |
|--------------|-----------|------------|
|--------------|-----------|------------|

MC-4ST Premium Mineral 15W-50

| | | |
|-------------|------------|---|
| MC4MIN15001 | 1 Litre | 6 |
| MC4MIN15004 | 4 Litres | 4 |
| MC4MIN15020 | 20 Litres | 1 |
| MC4MIN15205 | 205 Litres | 1 |

MC-4ST Premium Mineral 20W-50

| | | |
|-------------|------------|---|
| MC420W50001 | 1 Litre | 6 |
| MC420W50004 | 4 Litres | 4 |
| MC420W50020 | 20 Litres | 1 |
| MC420W50205 | 205 Litres | 1 |

MC-4ST Premium Mineral HD 50

| | | |
|------------|------------|---|
| MC4HD50004 | 4 Litres | 4 |
| MC4HD50020 | 20 Litres | 1 |
| MC4HD50205 | 205 Litres | 1 |

Base Oil: Premium Mineral

Stroke: 4

Viscosity: 15W-50

Replacement Viscosities: 15W-40

Key Specifications: API CG-4/SL, JASO MA, China National GB 11121-2006

Fuel Types: Petrol, Racing

Viscosity: 20W-50

Replacement Viscosities: 20W-40, SAE 30

Key Specifications: API CG-4/SL, JASO MA, China National GB 11121-2006

Fuel Types: Petrol, Racing

Viscosity: SAE 50

Replacement Viscosities: SAE 40

Key Specifications: API SG/CD



Fuel Types: Petrol, Racing

Penrite MC-4ST Premium Mineral 15W-50, 20W-50 & HD 50 are premium mineral, SAE 15W-50, 20W-50 & 50 respectively, non friction modified, modern four stroke engine oils. They contain a superior anti wear package of FULL ZINC for ultimate engine, gearbox and clutch protection. They also feature a higher operating temperature viscosity for greater protection in the harshest of on and off road conditions.



Visit our website at www.penriteoil.com

Enduro 25W-70 & HD Oil 50-70 (Classic Range)

| Product Code | Pack Size | Carton Qty | Base Oil: Premium Mineral | Stroke: 4 |
|----------------------|-----------|------------|---|---|
| Enduro 25W-70 | | | | |
| END005 | 5 Litres | 4 | Viscosity: 25W-70 Key Specifications: API SG Replacement Viscosities: 25W-60, SAE 40 Fuel Types: Petrol, Racing |  |
| END020 | 20 Litres | 1 | | |
| HD Oil 50-70 | | | | |
| HD005 | 5 Litres | 4 | Viscosity: 50-70 Key Specifications: API SF Replacement Viscosities: SAE 50, SAE 60 Fuel Types: Petrol, Racing |  |
| | | | | |

*Classic*TM


Penrite Enduro and HD Oil are premium, high performance mineral, 25W-70 and 50-70 respectively, non friction modified, four stroke engine oils. They contain a superior anti wear package of HIGH ZINC (exceeding 1750+ ppm levels) for ultimate engine, gearbox and clutch protection with viscosities designed to maintain oil pressure and consumption control for older and classic motorcycles.

MC-2ST Full Synthetic

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic Colour: Deep Red | Stroke: 2 |
|-----------------|------------|------------|--|--|
| MC2FULLSYN001CP | 1 Litre CP | 6 | Key Specifications: API-TC, JASO FD, ISO EG-D, Piaggio Hexagon (performance), Aprilia DiTechSR50 (performance) |  |
| MC2FULLSYN004 | 4 Litres | 4 | | |
| MC2FULLSYN020 | 20 Litres | 1 | | |


Penrite MC-2ST Full Synthetic 2 Stroke Oil is a premium full synthetic, ester based two stroke engine oil for maximum power and protection in motorbikes, go karts, Sea Doo jet skis and in other severe two stroke applications. It uses a powerful, practically ashless clean burning high performance additive package for maximum lubricity and low piston deposits.

MC-2ST Semi Synthetic

| Product Code | Pack Size | Carton Qty | Base Oil: Semi Synthetic Colour: Red/Orange | Stroke: 2 |
|-----------------|------------|------------|--|---|
| MC2SEMISYN001CP | 1 Litre CP | 6 | Key Specifications: API TC, JASO FC, ISO EG-C |  |
| MC2SEMISYN004 | 4 Litres | 4 | | |

Penrite MC-2ST Semi Synthetic 2 Stroke Oil is a low-smoke, semi synthetic, high performance oil for motorbikes, go karts, Sea-Doo jet skis and in other severe two stroke applications. It is made from highly refined base oils and special synthetic additives.

Race Castor Oil

| Product Code | Pack Size | Carton Qty | Base Oil: Castor/Synthetic Ester Oil Replacement Viscosities: SAE 30, SAE 40 | Viscosity: 20W-40 |
|--------------|-----------|------------|---|---|
| RCAS001 | 1 Litre | 6 | Fuel Types: Petrol/E10, E85, Racing Features: Soluble in methanol and petrol, Longer engine life |  |
| | | | | |

Penrite Race Castor is an ashless SAE 20W-40 engine oil manufactured from high quality castor vegetable oil, synthetic ester, anti-corrosion additives and an advanced anti-oxidant. The synthetic base fluids are specially blended to allow suitability for use where SAE 30 and SAE 40 castor based oils were used. It will assist in reducing or eliminating traditional problems such as lacquer and deposit formation.



Motorcycle Gear Oil (MC GO)

| Product Code | Pack Size | Carton Qty | Base Oil: Premium Mineral Replacement Viscosities: 10W-30, 15W-40, 80W-85, SAE 80 | Viscosity: 10W-40 |
|--------------|-----------|------------|--|-------------------|
| MCGO80001 | 1 Litre | 6 | Key Specifications: API GL-4, ZF TE-ML 06A, Ford M2C159-B | |

Penrite Motorcycle Gear Oil (MC GO) is a premium mineral, high performance, SAE 10W-40, API GL-4 gear oil, specially formulated for separate gearboxes used in two stroke and four stroke motorcycles including ATV's. It is especially suitable in gearboxes that have oil immersed clutches. Suitable for use where the manufacturer asks for an API GL-4 gear oil.



MC Fork Oil 5, 10 & 15

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic | Viscosity: SAE 5W, 10W & 15W |
|--------------|-----------|------------|--------------------------|------------------------------|
|--------------|-----------|------------|--------------------------|------------------------------|

MC Fork Oil 5

| | | |
|-----------|-----------|---|
| MCFO05001 | 1 Litre | 6 |
| MCFO05020 | 20 Litres | 1 |

MC Fork Oil 10

| | | |
|-----------|-----------|---|
| MCFO10001 | 1 Litre | 6 |
| MCFO10020 | 20 Litres | 1 |

MC Fork Oil 15

| | | |
|-----------|---------|---|
| MCFO15001 | 1 Litre | 6 |
|-----------|---------|---|

Penrite MC Fork Oil 5, 10 & 15 are full synthetic, very high viscosity index fluids made from a special combination of synthetic base oils, viscosity modifiers, anti-wear agents and extreme pressure additives. They are compatible with brass, copper alloys and seal materials. MC Fork Oil 5, 10 & 15 are recommended for use in motorcycle forks and other suspension systems.




Chain Lube Road **NEW**

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic |
|--------------|-----------|------------|--------------------------|
|--------------|-----------|------------|--------------------------|

| | | |
|-------------|-----------------|---|
| MCCHAIN0004 | 400 Millilitres | 6 |
|-------------|-----------------|---|

Penrite Chain Lube Road is a 100% full synthetic, spray on high performance chain lubricant engineered for all chain drive applications. It has exceptional sticking tenacity and is engineered not to fling off the chain. It provides outstanding anti-wear and anti-corrosion properties whilst lowering friction between the chain and sprockets.




10 Tenths Chain Lube Race **NEW**

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic |
|--------------|-----------|------------|--------------------------|
|--------------|-----------|------------|--------------------------|

| | | |
|-----------|-----------------|---|
| MCRCL0005 | 500 Millilitres | 6 |
|-----------|-----------------|---|

Penrite 10 Tenths Chain Lube Race is a 100% full synthetic, spray on ultra-high performance chain lubricant engineered for competition and off road machines. Designed not to fling off in racing applications or attract excessive amounts of mud in off road machines, it provides exceptional anti-wear and anti-corrosion properties whilst maximising drive efficiency by lowering friction between the chain and sprockets.



10 Tenths Chain Cleaner **NEW**

| Product Code | Pack Size | Carton Qty | Colour: Clear |
|--------------|-----------|------------|---------------|
|--------------|-----------|------------|---------------|

| | | |
|-----------|-----------------|---|
| MCACC0004 | 400 Millilitres | 6 |
|-----------|-----------------|---|

Penrite 10 Tenths Chain Cleaner is a professional strength, solvent based motorcycle chain cleaner that rapidly dissolves chain lubricants such as grease, waxes, oil, silicone and other lubricating solids and fluids used on motorcycle drive chains. Its non chlorinated, non corrosive and non staining formulation is fast, effective, convenient and easier to use than conventional solvents.



Foam Filter Oil **NEW**

| Product Code | Pack Size | Carton Qty | Colour: Blue |
|--------------|-----------------|------------|--------------|
| MCFOAM0004 | 400 Millilitres | 6 | |
| MCFOAM0005 | 500 Millilitres | 6 | |

Penrite Foam Filter Oil is a blue coloured, solvent based, super tacky foam filter treatment which effectively stops the ingress of sand, dirt and dust into the engine. It is ideal for use in competition applications, (on and off road) including severe racing conditions where large volumes of air flows through the engine intake system. May be used in all types of vehicles including passenger, 4WD's, racing and rally cars, motocross and on-road bikes, ATV's etc, both in competition and every day service. It is available as a liquid and aerosol spray.



MOTORCYCLE

Foam Filter Cleaner

| Product Code | Pack Size | Carton Qty | Colour: White |
|--------------|-----------|------------|---------------|
| MCFFC001 | 1 Litre | 6 | |

Penrite Foam Filter Cleaner is a specially formulated product, for cleaning motorcycle foam filters. It is a ready to use, non caustic and water soluble cleaner that effectively removes trapped dirt, tacky filter oil, grease and other contaminants from foam filters and washes away thoroughly. Its advanced formulation cleans effectively and prevents deterioration of the foam ensuring longer filter life. It does not leave harmful deposits or residue that could rust or corrode engine parts or damage the engine via inhalation.



Multi-Purpose Wash

| Product Code | Pack Size | Carton Qty | Colour: Blue |
|---------------|-------------|------------|--------------|
| DETCTW001 | 1 Litre | 6 | |
| DETCTW020 | 20 Litres | 1 | |
| DETCTW200 | 200 Litres | 1 | |
| DETCTW1000LTR | 1000 Litres | 1 | |

Penrite Multi-Purpose Wash is a heavy duty, multi-purpose, biodegradable detergent cleaner, capable of cleaning the most heavily soiled cars, motorbikes, 4WD's, trucks, tractors, boats, caravans and other vehicles. Its unique formulation will not cause damage or streaking to the paintwork. It is safe to use on all modern automotive paintwork finishes and will not harm aluminium, vinyl, rubber, glass or fiberglass.




DOT 5.1 Brake Fluid

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic | Colour: Amber |
|--------------|-----------------|------------|--------------------------|---------------|
| DOT510005 | 500 Millilitres | 6 | | |

Key Specifications: FMVSS 116 DOT 5.1, DOT 4 and DOT 3, SAE J1703/J1704, ISO 4925 (5.1, 4 & 3)

Penrite DOT 5.1 Brake Fluid is a premium quality, full synthetic, non-silicone, DOT 5.1 brake fluid designed where DOT 5.1 lower viscosity fluids are required in colder climatic conditions or in systems requiring faster circulation fluid to perform correctly. Compatible with DOT 3, DOT 4 & Super DOT 4 fluids. Boiling point 269° C / 515° F.



Racing Brake Fluid

| Product Code | Pack Size | Carton Qty | Base Oil: Full Synthetic | Colour: Amber |
|--------------|-----------------|------------|--------------------------|---------------|
| RBF0005 | 500 Millilitres | 6 | | |

Key Specifications: AS 1960.1-2005, SAE J1704, US FMVSS No 116 Super DOT 4

Penrite Racing Brake Fluid is a premium full synthetic polyalkylene glycol ether ester based brake fluid for long life and maximum performance in severe braking conditions. Not compatible with DOT 3 or silicone based DOT 5 fluids. Compatible with DOT 5.1 and other DOT 4 fluids. Boiling point 310° C / 600° F.



Visit our website at www.penriteoil.com

10 Tenths Race Coolant Inhibitor Concentrate

Product Code: RCI001 **Pack Size:** 1 Litre **Carton Qty:** 6 **Technology:** Type B **Colour:** Red
Treat Rate: 1 litre makes between 10-20 litres



Key Specifications: AS 2108-2004 Type B

Penrite 10 Tenths Race Coolant Inhibitor Concentrate is a non glycol based coolant inhibitor concentrate that protects against corrosion, cavitation, scaling and oxidation in vehicles that do not require an Anti-Freeze Anti-Boil coolant. It is an effective engine coolant that uses a hybrid organic acid technology (HOAT) inhibitor to provide maximum protection against corrosion whilst providing superior heat transfer to significantly reduce engine operating temperature.

| PENRITE PRODUCT | Millilitres | | Litres | | | | | | | |
|--|-------------|-----|--------|-----|---|---|----|-----|-----|------|
| | 400 | 500 | 1 | 2.5 | 4 | 5 | 20 | 200 | 205 | 1000 |
| MC-4ST 5W-40 (100% PAO & Ester) | - | - | ⊙ | ⊙ | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST 10W-40 (100% PAO & Ester) | - | - | ⊙ | ⊙ | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST 10W-60 (100% PAO & Ester) | - | - | - | - | ⊙ | - | - | - | - | - |
| MC-4ST 15W-50 (100% PAO & Ester) | - | - | ⊙ | ⊙ | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST VTWIN 20W-50 (100% PAO & Ester) | - | - | - | - | ⊙ | - | - | - | - | - |
| MC-4ST Full Synthetic 10W-40 | - | - | - | - | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST Semi Synthetic 10W-30 | - | - | ⊙ | ⊙ | ⊙ | - | - | - | - | - |
| MC-4ST Semi Synthetic 10W-50 | - | - | ⊙ | ⊙ | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST Semi Synthetic 15W-50 | - | - | - | - | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST Premium Mineral 15W-50 | - | - | ⊙ | - | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST Premium Mineral 20W-50 | - | - | ⊙ | - | ⊙ | - | ⊙ | - | ⊙ | - |
| MC-4ST Premium Mineral HD 50 | - | - | - | - | ⊙ | - | ⊙ | - | ⊙ | - |
| Enduro 25W-70 (Classic Range) | - | - | - | - | - | ⊙ | ⊙ | - | - | - |
| HD Oil 50-70 (Classic Range) | - | - | - | - | - | ⊙ | - | - | - | - |
| MC-2ST Full Synthetic | - | - | ⊙ | - | ⊙ | - | ⊙ | - | - | - |
| MC-2ST Semi Synthetic | - | - | ⊙ | - | ⊙ | - | - | - | - | - |
| Race Castor Oil | - | - | ⊙ | - | - | - | - | - | - | - |
| Motorcycle Gear Oil (MC GO) | - | - | ⊙ | - | - | - | - | - | - | - |
| MC Fork Oil 5 | - | - | ⊙ | - | - | - | ⊙ | - | - | - |
| MC Fork Oil 10 | - | - | ⊙ | - | - | - | ⊙ | - | - | - |
| MC Fork Oil 15 | - | - | ⊙ | - | - | - | - | - | - | - |
| Chain Lube Road | ⊙ | - | - | - | - | - | - | - | - | - |
| 10 Tenths Chain Lube Race | - | ⊙ | - | - | - | - | - | - | - | - |
| 10 Tenths Chain Cleaner | ⊙ | - | - | - | - | - | - | - | - | - |
| Foam Filter Oil | ⊙ | ⊙ | - | - | - | - | - | - | - | - |
| Foam Filter Cleaner | - | - | ⊙ | - | - | - | - | - | - | - |
| Multi-Purpose Wash | - | - | ⊙ | - | - | - | ⊙ | ⊙ | - | ⊙ |
| DOT 5.1 Brake Fluid | - | ⊙ | - | - | - | - | - | - | - | - |
| Racing Brake Fluid | - | ⊙ | - | - | - | - | - | - | - | - |
| 10 Tenths Race Coolant Inhibitor Concentrate | - | - | ⊙ | - | - | - | - | - | - | - |

(All products are available in 1000L Pods, on request)

Key Features & Benefits of the Motorcycle range:

- > Range of 2 and 4 Stroke engine oils.
- > Extra 10 for maximum protection.
- > Full Zinc to minimise engine wear.
- > Available in Full Synthetic, Semi Synthetic and Premium Mineral.
- > Full PAO & Ester Racing products.
- > Early American and European product range.
- > Latest JASO and ISO Industry specifications.
- > Non-Friction modified to prevent clutch slippage.
- > 2 Stroke available in 1L chamber pack.



Visit our website at www.penriteoil.com