# **ATF TOP UP (Mineral)**

PRODUCT CODE	PACK SIZE	CARTON QTY
ATFTU001	1L	6

#### PRODUCT BENEFITS

ATF Top Up is a multi-vehicle, special purpose, heavier viscosity, transmission fluid designed for topping up Automatic Transmissions and Power Steering systems that require Dexron® type II & III fluids. ATF Top up meets the basic frictional and anti-wear requirements of Dexron®-IIE.

### **APPLICATION**

ATF Top Up is designed for the top up of most car & truck automatic transmissions to 20% maximum, that require conventional transmission fluids. It is particularly suited to transmission types that use fluids that are Dexron® II/III compatible such as older Ford, Holden, Mazda, Mercedes, Mitsubishi, Nissan & Toyota. It can also be used in some Allison automatic transmissions in heavy vehicles that specify Dexron® II & III type



ATF Top Up can also be used to top up most power steering systems that specify automatic transmission fluid.

ATF Top Up is NOT RECOMMENDED for use as a top up for the following products or their equivalents

- ATF DX-VI
- CVT Fluid V
- Honda/Audi/ Subaru CVT Fluids
- VW DCT/DSG Fluids

ATF Top Up is suitable for use in passenger cars, 4WDs, light & heavy commercial vehicles that specify Dexron® II & III type transmission fluids

### **PRODUCT BENEFITS**

- Minimises wear and Maximises equipment life
- Compatible with Dexron® II & III type products
- Long life performance.
- · Suitable for most automatic transmissions and power steering systems
- · Shear stable formulation provides consistent shift quality.
- Low deposit formation due to use of outstanding oxidation inhibitors
- · Compatible with a wide range of seal materials.

### **PRODUCT PERFORMANCE LEVELS**

- Allison C-4
- DEXRON®-IID
- DEXRON®-IIE
- GM DEXRON®-IID

- GM DEXRON®-IIE
- MB 236.1.

## **TYPICAL DATA**

Colour	Dark
Golodi	Red
Density at 15°C, kg/L	0.870
Viscosity, Kinematic, cSt at 40°C	52.0
Viscosity, Kinematic, cSt at 100°C	8.2
Viscosity Index	127
Phosphorus, Mass %	0.016

**MERCON®** 

Website: www.penriteoil.com.au Email: penrite@penriteoil.com.au