# **DIESEL FUEL STABILISER**

Last updated: 21/09/2013 12:28 pm

PRODUCT CODE	PACK SIZE	CARTON QTY
ADDFS250	250mL	6

#### **PRODUCT BENEFITS**

**Diesel Fuel Stabiliser** is a fuel additive designed to stabilise the performance of diesel fuel when in storage and prevent loss of engine performance due to old and stale fuel. It meets military and defence grade specifications for optimum reliability and performance.

#### **APPLICATION**

**Diesel Fuel Stabiliser** is designed for use in all diesel fuelled combustion engines. It can be used with direct injection or common rail fuel delivery systems. Can be used with passenger cars, commercial vehicles, boats, stationary engines, classic and veteran vehicles and anywhere where the fuel is not turned over regularly.

**Diesel Fuel Stabiliser** contains a lubricity improver that extends the life of fuel pumps and injectors. It also contains a metal deactivator that reduces the tendency of metal surfaces to oxidise and corrode preventing the accumulation of residue, gummy

deposits and polymer formations. It also contains optimised detergents for diesel to clean and maintain the fuel system if needed.

**Diesel Fuel Stabiliser** can be added directly to either the engines fuel tank or in storage fuel containers and is safe for use with ULSD and Bio Diesel fuels. When used at the correct dosage, can extend the life of diesel fuels by up to 12 months. It is an economical alternative to dumping and replacing left over diesel in fuel tanks, jerry cans and other storage facilities.

## **DOSAGE**

#### For best results:

25 ml treats 20 Litres for storage up to 12 months. (one 250ml bottle treats 200 litres of fuel)

**Please Note:** If your vehicle is fitted with a Capless Fuel Filler system, we recommend using the vehicles emergency fuel filling funnel when adding this product to the fuel tank.

## **PRODUCT BENEFITS**

- Prevents fuel from going stale when not used for up to 12 months
- Prevents gum, sediments and polymer formations in the fuel
- 2.5 times more economical than current fuel stabilisers
- Stabilises fuel quality for improved economy and performance
- Extends the life of fuel injectors, pumps and diesel catalysts
- · Optimised for diesel fuel
- Prevents fuel system corrosion
- · Inhibits the tendency of Biodiesel to react with oxygen, thereby prolonging its shelf life
- Economical when compared to replacing old or stale fuel.

## **PRODUCT PERFORMANCE LEVELS**

• DEF-STAN 91-91 Issue 6

• MIL-DTL-5624U

MIL-DTL-83133F

MIL-PRF-25017

### **TYPICAL DATA**

Colour	Green
Density at 15°C, kg/L	0.878
Viscosity, Kinematic, cSt at 40°C	2.6
Viscosity, Kinematic, cSt at 100°C	1.4
Flash Point, °C	88

Fax: 1800-PENRITE (1800 736 748)

International Ph: +61 3 9801 0877, Fax: +61 (0)3 8710 6601 New Zealand Ph:0800 533 698, Fax: 0508 736 748

Website: www.penriteoil.com.au Email: penrite@penriteoil.com.au