

ATF LV (Multi Vehicle)

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Colour: Red
ATFLV001	1 Litre	6	Industry & Manufacturer's Specifications: Ford MERCON®-LV, GM DEXRON®-VI, Toyota WS, Ford M2C922-A1/M2C924-A, JASO 1A/2A-02, Kia/Hyundai/Mitsubishi SP-IV, Honda DW-1, Mitsubishi Dia Queen J2/J3/PA, Nissan/Infiniti Matic S	
ATFLV004	4 Litres	4		
ATFLV020	20 Litres	1		
ATFLV060	60 Litres	1		
ATFLV205	205 Litres	1		

**ATF LV REPLACES
ATF DX-VI**

Penrite ATF LV is the latest generation technology, full synthetic, multi vehicle, low viscosity automatic transmission fluid meeting the requirements of Ford MERCON®-LV & GM DEXRON®-VI, as well as many other low viscosity manufacturer specifications. It is an advanced formulation automatic transmission fluid designed for optimum performance and outstanding high temperature resistance. ATF LV is suitable for long drain use in 4, 5 & 6 + speed automatic transmissions in passenger cars, 4WDs and light duty commercial vehicles. It is particularly suitable for use in GM Hydra-Matic transmissions, requiring GM DEXRON®-VI from MY 2006 onwards, such as Holden VE Series as well as in late model Ford transmissions requiring Ford MERCON®-LV, as used in Ford Kuga petrol 1.6 4WD, Territory SZ diesels and Ford Ranger PX models.

ATF FS (Multi Vehicle)

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Colour: Red
ATFFS001	1 Litre	6	Industry & Manufacturer's Specifications: GM DEXRON®-II/III/VI*, BTR 91LE/95LE, Ford MERCON®-V, Mitsubishi MM SP2/SP3, Chrysler MS-9602 (ATF+4), Toyota WS*/T-II/III/IV, LT 71141, JASO 1A, MB 236.1/236.10/236.11/236.5, Nissan/Infiniti Matic C/D/J/K/S*, Subaru, Mazda MV/M-III	
ATFFS004	4 Litres	4		
ATFFS020	20 Litres	1		
ATFFS060	60 Litres	1		
ATFFS205	205 Litres	1		

Penrite ATF FS is a full synthetic, highly shear stable, multi vehicle, automatic transmission fluid that exceeds the requirements of Ford MERCON®-V & GM DEXRON®-II/III as well as many other manufacturer requirements. It is an advanced formula designed for optimum performance and outstanding high temperature performance.

ATF MHP (Multi Vehicle)

Product Code	Pack Size	Carton Qty	Base Oil: Semi Synthetic	Colour: Red
ATFMHP001	1 Litre	6	Industry & Manufacturer's Specifications: Mitsubishi MM SP2/SP3, Toyota T-II/III/IV, Nissan/Infiniti Matic C/D/J/K, LT 71141, BTR 91LE/95LE, Chrysler ATF+3/ATF+4, MB 236.1/236.10/236.11/236.5, JASO 1A, Holden HN 2287, GM DEXRON®-IIIH/G/F, Honda ATF 89/96/Z1, VW 052990, Ford MERCON®-LV	
ATFMHP004	4 Litres	4		
ATFMHP020	20 Litres	1		
ATFMHP060	60 Litres	1		
ATFMHP205	205 Litres	1		

Penrite ATF MHP is a semi synthetic, multi vehicle, automatic transmission fluid that exceeds the requirements of Mitsubishi SP2/SP3, DEXRON®-IIIH & Ford MERCON®-LV as well as many other manufacturer specifications. It is an advanced formula designed for optimum performance and outstanding high temperature resistance.



Visit our website at www.penriteoil.com

ATF DX-III (Multi Vehicle)

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Red
ATFDX3001	1 Litre	6	Industry & Manufacturer's Specifications: GM DEXRON®-IIIH/G/F, GM DEXRON®-IIE/IID/II, Ford MERCON®/MERCON®-IV, LT 71141, Volvo 97341, BTR 91LE/95LE, MB 236.1/236.10/236.11/236.5, Ford M2C166-H, Toyota T-II/D2	
ATFDX3004	4 Litres	4		
ATFDX3020	20 Litres	1		
ATFDX3060	60 Litres	1		
ATFDX3205	205 Litres	1		
			Penrite ATF DX-III is an advanced technology, premium mineral, multi vehicle, automatic transmission fluid that exceeds the requirements of GM DEXRON®-IIIH. It is manufactured from the latest additive technology and advanced hydrocracked base oils along with a viscosity modifier to minimize shear loss and provide outstanding performance throughout the life of the fluid.	



DCT Fluid (Multi Vehicle)

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Colour: Amber
DCTF001	1 Litre	1	Industry & Manufacturer's Specifications: Ford M2C936-A, Porsche Oil No. 999.917.080.00, BMW 83 22 2 148 578/579, BMW 83 22 0 440 214, BMW 83 22 2 147 477, Mitsubishi SSTF-1, MB 236.21, Peugeot/Citroen 9734.S2, VW TL 052 182/052 529, Volvo 1161838/39	
DCTF004	4 Litres	1		
DCTF020	20 Litres	1		
			Penrite DCT Fluid is a highly advanced, full synthetic, multi vehicle, dual clutch transmission (DCT) fluid suitable for DCTs that use a wet clutch system. It is manufactured with advanced synthetic base oils and utilising the latest additive technology for applications in many modern types of wet DCT transmissions, including selected VW & Skoda DSG (Direct Shift Gearbox) and Audi S-Tronic transmissions.	



CVT Fluid V (Multi Vehicle)

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Colour: Red
CVTV004	4 Litres	4	Industry & Manufacturer's Specifications: Nissan NS-1/NS-2, Mini Cooper EZL 799, Mopar CVT Fluid +4, Honda HCF2/HMMF, Volvo 4959, MB 236.20, Toyota CVTF FE/TC, Mitsubishi CVTF-J1	
CVTV020	20 Litres	1		
Penrite CVT Fluid V is a highly advanced, full synthetic, long drain, automatic transmission fluid manufactured with advanced synthetic and ultra-pure hydrocracked base oils and utilising state of the art additive technology for applications in many modern types of Continuously Variable Transmissions (CVT). Its new and improved formulation means more applications are now possible. Not suitable for use in Luk type CVT systems and where low viscosity CVT fluids are required.				



ATF 33 (Type F)

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Red
ATF33004	4 Litres	4	Industry & Manufacturer's Specifications: Ford M2C33-F/G, Ford SQM-2C9007-AA	Penrite ATF 33 is special purpose, premium mineral, non-friction modified, automatic transmission fluid designed for Type F transmissions that specify M2C33-F/G or Ford SQM-2C9007-AA specifications. ATF 33 is designed for use in older Ford transmissions and power steering systems wherever a Ford Type F or G fluid is recommended. It can also be used in manual transmissions that specify this type of fluid.
ATF33020	20 Litres	1		
ATF33205	205 Litres	1		



Classic ATF

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Red
CLASATF005	5 Litre	4	Industry & Manufacturer's Specifications: DEXRON®-IID, MERCON®-IV, Allison C-4, MB 236.6/7, ZF TE-ML11/TE-ML 14, Ford ESR-M2C163-A, Ford M2C166-H, Ford M2C138-CJ, Vickers 35VQ25, Voith Diwa, Denison T5D/P-46/HF-2, Toyota T-II/D2, Sundstrand 22-213L, Mitsubishi SP/SP2, BTR 5M-52, BTR 81LE/91LE	



Penrite Classic ATF is premium mineral, multi vehicle, DEXRON®-IID automatic transmission fluid for classic and older transmissions that required Type A/Suffix A or GM DEXRON®/DEXRON®-II fluids. It is manufactured with modern additive technology and premium base oils to provide better shift performance and protection than original type automatic transmission fluids.

ATF Top Up

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Dark Red
ATFTU001	1 Litre	6	Industry & Manufacturer's Specifications: DEXRON®-IID/IIIE, MERCON®-IV, Allison C-4, MB 236.1, Nissanmatic C/D, Toyota T-II, Ford ESR-M2C163-A/M2C166-H/M2C138C-J, Mazda M-II, ZF TE-ML11 Mitsubishi SP2, Chrysler ATF+3, BTR 91LE/95LE,	



Penrite ATF Top Up is a multi vehicle, special purpose, heavier viscosity, transmission fluid designed for topping up many Automatic Transmissions and Power Steering systems. ATF Top Up meets the basic frictional and anti-wear requirements of DEXRON®-IIIE and many other manufacturer specifications. It is designed for the top up of most car and truck automatic transmissions to 20% maximum, that require conventional transmission fluids.

PENRITE PRODUCT	Litres					
	1	4	5	20	60	205
ATF LV (Multi Vehicle)	⊙	⊙	-	⊙	⊙	⊙
ATF FS (Multi Vehicle)	⊙	⊙	-	⊙	⊙	⊙
ATF MHP (Multi Vehicle)	⊙	⊙	-	⊙	⊙	⊙
ATF DX-III (Multi Vehicle)	⊙	⊙	-	⊙	⊙	⊙
DCT Fluid (Multi Vehicle)	⊙	⊙	-	⊙	-	-
CVT Fluid V (Multi Vehicle)	-	⊙	-	⊙	-	-
ATF 33 (Type F)	-	⊙	-	⊙	-	⊙
Classic ATF	-	-	⊙	-	-	-
ATF Top Up	⊙	-	-	-	-	-

(All products are available in 1000L Pods, on request)

Key Features & Benefits of the Automatic Transmission Fluids range:

- Multi Vehicle application means the same fluid can be used across multiple vehicles. Full synthetic (ATF LV and ATF FS) as well as Semi synthetic (ATF MHP) covers a majority of the Australian vehicle market. Penrite also makes a Multi Vehicle mineral product (ATF DX-III).
- A complete range of fluids covering most vehicles.
- Extended long drain periods.
- Smooth shift durability (ATF FS, ATF MHP & ATF LV).
- Specialist fluids (ATF 33, CVT Fluid V and DCT Fluid).
- Passenger car, 4WD and heavy vehicle applications.



Expert Tip: "Red" is a specification colour used by GM for their transmission fluids. This has been adopted by the industry as a standard colour for ATF's. Apart from that, the colour is just a dye and it has no relevance to the performance of the transmission fluid.



Visit our website at www.penriteoil.com